


MATERIAL: 302 Stainless Steel
 TEMPER: Full Hard

GENERAL TOLERANCES: 3 PLACE DECIMAL +/- .004
 2 PLACE DECIMAL +/- .010
 UNLESS OTHERWISE SPECIFIED, BREAK ALL SHARP EDGES .005/.010 X 45° ANGULAR DIM. +/- 1

THIS ENGLISH DRAWING HAS BEEN PREPARED IN ACCORDANCE WITH ANSI Y14.5M - 1982. DIMENSIONS SHOWN IN BRACKETS () ARE MILLIMETERS AND FOR REFERENCE.


os3155 FRAME				SIZE	B	SHEET NO.	1
DESIGNED BY	SKF	DRAWN BY	SKF	FINAL APPROVAL			
MICRON OPTICS, INC.			DRAWING NO.		222983		




TOP DETAIL

os3155 FRAME Top Detail			
DESIGNED BY	SKF	DRAWN BY	SKF
FINAL APPROVAL		SIZE	B
		SHEET NO.	2
<p>THIS ENGLISH DRAWING HAS BEEN PREPARED IN ACCORDANCE WITH ANSI Y14.5M - 1982. DIMENSIONS SHOWN IN BRACKETS II ARE MILLIMETERS AND FOR REFERENCE.</p>			
		DRAWING NO. 222983	

GENERAL TOLERANCES: 3 PLACE DECIMAL +/- .004
2 PLACE DECIMAL +/- .010
UNLESS OTHERWISE SPECIFIED, BREAK ALL SHARP EDGES .005/.010 X 45° ANGULAR DIM. +/- 1



BOTTOM DETAIL

os3155 FRAME Bottom Detail				
DESIGNED BY	SKF	DRAWN BY	SKF	FINAL APPROVAL
<small>GENERAL TOLERANCES</small> 3 PLACE DECIMAL +/- .004 2 PLACE DECIMAL +/- .010 UNLESS OTHERWISE SPECIFIED, BREAK ALL SHARP EDGES .005/010 X 45			SIZE	SHEET NO.
<small>THIS ENGLISH DRAWING HAS BEEN PREPARED IN ACCORDANCE WITH ANSI Y14.5M - 1982. DIMENSIONS SHOWN IN BRACKETS II ARE MILLIMETERS AND FOR REFERENCE.</small>			B	3
 MICRON OPTICS, INC.			DRAWING NO. 222983	