






Revision History

Rev	Date	Author	Description
1	11/22/13	RWM	Initial Release
2	01/30/15	RWM	Misc updates
3	12/02/15	RWM	Added Note 1, sheet 1



223905, OPTIONAL MOUNTING BRACKET KIT, NOTE 1

OPTICAL INTERCONNECT, CHANNELS 1-16, LC/APC



1) BRACKET ATTACHMENT SCREW PITCH =#10-24, MAXIMUM THREAD ENGAGEMENT INTO ENCLOSURE = 0.20"

UNLESS OTHERWISE NOTED
 DIMENSIONS IN INCHES [MM]
 INTERPRET DRAWINGS PER ANSI Y 14.5M - 1982

STANDARD TOLERANCES
 DECIMAL INCHES X.XX = +/- .030 X.XXX = +/- .010
 X.XXXX = +/- .005 ANGLES +/- 2DEG
 HOLE DIA = +/- .005 HOLE CL = +/- .010
 FRAC IN 1 TO 36 = +/- .03 36 UP = +/- .06
 MACHINED SURFACES = 125




Customer Views, si255, BETA
 (Hyp2_v2_Customer_View.dft)

THIS DOCUMENT CONTAINS MATERIAL AND/OR INFORMATION WHICH IS THE PROPERTY OF MICRON OPTICS, INC. IT IS SUPPLIED ONLY ON A PROPRIETARY BASIS, AND MUST BE RETURNED UPON REQUEST. DO NOT CIRCULATE, REPRODUCE OR DIVULGE TO OTHER PARTIES WITHOUT WRITTEN CONSENT OF MICRON OPTICS, INC.		DRN BY RWM	DATE	PART NO NA	REV 3
CHKD BY XX	SIZE B	RELEASE NO. XXXXXXX	SHEET NO. 1 of 2		

Revision History

Rev	Date	Author	Description
1	11/22/13	RWM	Initial Release
2	01/30/15	RWM	Misc updates
3	12/02/15	RWM	Added Note 1, sheet 1



UNLESS OTHERWISE NOTED
 DIMENSIONS IN INCHES [MM]
 INTERPRET DRAWINGS PER ANSI Y 14.5M - 1982

STANDARD TOLERANCES
 DECIMAL INCHES X.XX = +/- .030 X.XXX = +/- .010
 X.XXXX = +/- .005 ANGLES +/- 2DEG
 HOLE DIA = +/- .005 HOLE CL = +/- .010
 FRAC IN 1 TO 36 = +/- .03 36 UP = +/- .06
 MACHINED SURFACES = 125

THIS DOCUMENT CONTAINS MATERIAL AND/OR INFORMATION WHICH IS THE PROPERTY OF MICRON OPTICS, INC. IT IS SUPPLIED ONLY ON A PROPRIETARY BASIS, AND MUST BE RETURNED UPON REQUEST. DO NOT CIRCULATE, REPRODUCE OR DIVULGE TO OTHER PARTIES WITHOUT WRITTEN CONSENT OF MICRON OPTICS, INC.



Customer Views, si255, BETA
 (Hyp2_v2_Customer_View.dft)

DRN BY RWM	DATE	PART NO NA	REV 3
CHKD BY XX	SIZE B	RELEASE NO. XXXXXXX	SHEET NO. 2 of 2